

## Buffet Fridge & Bain Marie



### 4 Pan/5 Pan/ 6 Pan Buffet Fridge Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM46-4	1500×950×850+600	1550×760×930	125/150	1.1	320-350W/220V	1/1 pan
DM46-5	1900×950×850+600	1950×760×930	158/185	1.3	320-350W/220V	1/1 pan
DM46-6	2200×950×850+600	2250×760×930	180/220	1.6	320-350W/220V	1/1 pan



### 4 Pan/5 Pan/ 6 Pan Buffet Bain Marie Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM47-4	1500×950×850+600	1550×760×930	90/112	1.1	2.5Kw/220V	1/1 pan
DM47-5	1900×950×850+600	1950×760×930	114/143	1.3	2.5Kw/220V	1/1 pan
DM47-6	2200×950×850+600	2250×760×930	132/170	1.6	2.5Kw/220V	1/1 pan



### Single Pan Buffet Bain Marie

**DM48**  
Dimensions(LxWxH mm): 800×950×850+650  
Packing Size (mm): 850×760×920  
NW/GW (kgs): 47/62  
Cube (M3): 0.6  
Remarks: 1-1/1 pan, 3-1/3 pan



### 8 Pan Buffet Fridge

**DM50-8**  
Dimensions(LxWxH mm): 1500×1400×1550  
Packing Size (mm): 1600×1500×1000  
NW/GW (kgs): 260/330  
Cube (M3): 2.4  
Power: 320-350W/220V  
Remarks: 1/1 pan



### 8 Pan Buffet Bain Marie

**DM51-8**  
Dimensions(LxWxH mm): 1500×1400×1550  
Packing Size (mm): 1600×1500×1000  
NW/GW (kgs): 180/210  
Cube (M3): 2.4  
Power: 2×2.5Kw/220V  
Remarks: 1/1 pan



### Buffet Corner Cabinet

**DM49**  
Dimensions(LxWxH mm): 1450×(830×250)×850  
Packing Size (mm): 1500×890×920  
NW/GW (kgs): 48/62  
Cube (M3): 1.5



### Condiment Bench

**DM49C-6-600**  
Dimensions(LxWxH mm): 600×600×840  
Packing Size (mm): 620×620×420  
NW/GW (kgs): 13/14  
Cube (M3): 0.16

**DM49C-6-900**  
Dimensions(LxWxH mm): 900×600×840  
Packing Size (mm): 920×620×420  
NW/GW (kgs): 19/21  
Cube (M3): 0.24



### Buffet Trolley

**DM49B**  
Dimensions(LxWxH mm): 900×700×1520  
Packing Size (mm): 920×720×260  
NW/GW (kgs): 37/40  
Cube (M3): 0.17  
Remarks: 3/1 pan

## Bain Marie



### 4 Pan/5 Pan/ 6 Pan Bain Marie Trolley With Glass Top Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM52-4	1500×700×850+600	1550×760×450	55/73	0.55	2.5Kw/220V	1/1 pan
DM52-5	1900×700×850+600	1950×760×450	60/88	0.7	2.5Kw/220V	1/1 pan
DM52-6	2200×700×850+600	2250×760×450	65/100	0.8	2.5Kw/220V	1/1 pan



### 3/4/5/6 Pan Bain Marie Trolley Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM53-3	(1100+60)×600×850	1170×620×300	30/34	0.22	2.5Kw/220V	1/1 pan
DM53-4	(1450+60)×600×850	1520×620×300	37/42	0.3	2.5Kw/220V	1/1 pan
DM53-5	(1850+60)×600×850	1920×620×300	44/50	0.37	2.5Kw/220V	1/1 pan
DM53-6	(2150+60)×600×850	2220×620×300	51/57	0.42	2.5Kw/220V	1/1 pan



### 3 Pan Bain Marie Trolley With Cabinet Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM54-3	1100×650×850	1200×700×900	42/70	0.76	2.5Kw/220V	1/1 pan
DM54-4	1500×650×850	1600×700×900	52/74	0.95	2.5Kw/220V	1/1 pan
DM54-5	1900×650×850	2000×700×900	62/89	1.26	2.5Kw/220V	1/1 pan
DM54-6	2200×650×850	2300×700×900	71/100	1.45	2.5Kw/220V	1/1 pan



### American Style 3 Pan Bain Marie Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM55-3	1220×800×850 48"×32"×33"	1270×860×920	55/75	1	2.5Kw/220V	1/1 pan
DM55-4	1520×800×850 60"×32"×33"	1570×860×920	68/90	1.24	2.5Kw/220V	1/1 pan
DM55-5	1820×800×850 72"×32"×33"	1870×860×920	86/115	1.48	2.5Kw/220V	1/1 pan
DM55-6	2130×800×850 84"×32"×33"	2180×860×920	100/130	1.72	2.5Kw/220V	1/1 pan

## Bain Marie



### American Style 3/4/5/6 Pan Bain Marie With Cabinet Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM56-3	1220×960×900 48"×38"×35"	1240×980×600	64/69	0.73	2.5Kw/220V	1/1 pan
DM56-4	1520×960×900 60"×38"×35"	1540×980×600	79/85	0.9	2.5Kw/220V	1/1 pan
DM56-5	1820×960×900 72"×38"×35"	1840×980×600	94/102	1.08	2.5Kw/220V	1/1 pan
DM56-6	2130×960×900 84"×38"×35"	2150×980×600	110/120	1.26	2.5Kw/220V	1/1 pan



### American Style 3/4/5/6 Pan Bain Marie With Top Lamp Warmer Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM57-3	1220×960×900+700 48"×38"×35"+28"	1270×1030×900	87/112	1.18	2.5Kw+825w 220V	1/1 pan
DM57-4	1520×960×900+700 60"×38"×35"+28"	1570×1030×900	109/137	1.46	2.5Kw+1100w 220V	1/1 pan
DM57-5	1820×960×900+700 72"×38"×35"+28"	1870×1030×900	130/162	1.73	2.5Kw+1375w 220V	1/1 pan
DM57-6	2130×960×900+700 84"×38"×35"+28"	2180×1030×900	152/187	2.02	2.5Kw+1650w 220V	1/1 pan



### 4 Pan Bain Marie With Cabinet (Electric) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM58-4	1500×700×850	1550×760×920	70/90	1.08	2.5Kw/220V	1/1 pan
DM58-5	1900×700×850	1950×760×920	88/118	1.36	2.5Kw/220V	1/1 pan
DM58-6	2200×700×850	2250×760×920	102/135	1.57	2.5Kw/220V	1/1 pan



### 3 Pan Bain Marie With Cabinet (Gas) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Remarks
DM59-3	1220×800×900 48"×32"×35"	1270×860×400	42/62	0.43	1/1 pan
DM59-4	1520×800×900 60"×32"×35"	1570×860×400	53/70	0.53	1/1 pan
DM59-5	1820×800×900 72"×32"×35"	1870×860×400	67/87	0.64	1/1 pan
DM59-6	2130×800×900 84"×32"×35"	2170×860×400	78/99	0.75	1/1 pan

## Buffet Warmer



### 3/4/5/6 Lamp Buffet Bench Top Warmer (Self Serve) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power
DM60-3	1220×570×520 48"×23"×20"	1270×620×320	40/49	0.25	825W/220V
DM60-4	1520×570×520 60"×23"×20"	1570×620×320	48/61	0.31	1100W/220V
DM60-5	1820×570×520 72"×23"×20"	1870×620×320	57/73	0.37	1375W/220V
DM60-6	2130×570×520 84"×23"×20"	2180×620×320	66/86	0.43	1650W/220V



### 3/4/5/6 Lamp Buffet Bench Top Warmer (Display) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power
DM61-3	1220×300×700 48"×12"×17"	1280×360×420	42/47	0.19	825W/220V
DM61-4	1520×300×700 60"×12"×17"	1580×360×420	43/59	0.23	1100W/220V
DM61-5	1820×300×700 72"×12"×17"	1880×360×420	51/70	0.29	1375W/220V
DM61-6	2130×300×700 84"×12"×17"	2190×360×420	59/81	0.33	1650W/220V



### 4/6/8/10/12 Pan Hot Food Display (straight glass) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM62-4	730×650×780	780×710×850	43/56	0.47	2.5Kw/220V	1/2 pan
DM62-6	1055×650×780	1110×710×850	58/73	0.67	2.5Kw/220V	1/2 pan
DM62-8	1380×650×780	1430×710×850	75/93	0.86	2.5Kw/220V	1/2 pan
DM62-10	1705×650×780	1760×710×850	92/115	1.06	2.5Kw/220V	1/2 pan
DM62-12	2030×650×780	2080×710×850	110/142	1.26	2.5Kw/220V	1/2 pan



### 4/6/8/10/12 Pan Hot Food Display (curved glass) Specifications

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM63-4	730×650×780	780×710×850	35/48	0.47	2.5Kw/220V	1/2 pan
DM63-6	1055×650×780	1110×710×850	50/65	0.67	2.5Kw/220V	1/2 pan
DM63-8	1380×650×780	1430×710×850	65/83	0.86	2.5Kw/220V	1/2 pan
DM63-10	1705×650×780	1760×710×850	80/103	1.06	2.5Kw/220V	1/2 pan
DM63-12	2030×650×780	2080×710×850	96/128	1.26	2.5Kw/220V	1/2 pan

## Bain Marie



**4x1/2 Pan Hot Food Display**

**DM64-4**

Dimensions (LxWxH mm): 730x680x700  
 Packing Size (mm): 790x720x760  
 NW/GW (kgs): 34/47  
 Cube (M<sup>3</sup>): 0.44  
 Power: 1.8Kw/220V  
 Remarks: 4x1/2x65 pan



**6x1/2 Pan Hot Food Display**

**DM64-6**

Dimensions (LxWxH mm): 1060x680x700  
 Packing Size (mm): 1120x720x760  
 NW/GW (kgs): 44/62  
 Cube (M<sup>3</sup>): 0.61  
 Power: 2.3Kw/220V  
 Remarks: 4x1/2x65 pan, 1x1/1 pan



**8x1/2 Pan Hot Food Display**

**DM64-8**

Dimensions (LxWxH mm): 1400x680x700  
 Packing Size (mm): 1460x720x760  
 NW/GW (kgs): 59/73  
 Cube (M<sup>3</sup>): 0.8  
 Power: 2.8Kw/220V  
 Remarks: 6x1/2x65 pan, 1x1/1x65 pan



**10x1/2 Pan Hot Food Display**

**DM64-10**

Dimensions (LxWxH mm): 1730x680x700  
 Packing Size (mm): 1800x720x760  
 NW/GW (kgs): 70/87  
 Cube (M<sup>3</sup>): 0.98  
 Power: 2.9Kw/220V  
 Remarks: 8x1/2x65 pan, 1x1/1x65 pan



**12x1/2 Pan Hot Food Display**

**DM64-12**

Dimensions (LxWxH mm): 2070x680x700  
 Packing Size (mm): 2130x720x760  
 NW/GW (kgs): 75/99  
 Cube (M<sup>3</sup>): 1.17  
 Power: 2.9Kw/220V  
 Remarks: 10x1/2x65 pan, 1x1/1x65 pan



**4x1/2 Pan Hot Food Display**

**DM65-4**


Dimensions (LxWxH mm): 1140x480x700  
 Packing Size (mm): 1200x530x760  
 NW/GW (kgs): 41/54  
 Cube (M<sup>3</sup>): 0.48  
 Power: 2.3Kw/220V  
 Remarks: 4x1/2x65 pan



**5x1/2 Pan Hot Food Display**

**DM65-5**

Dimensions (LxWxH mm): 1420x480x700  
 Packing Size (mm): 1470x530x760  
 NW/GW (kgs): 49/63  
 Cube (M<sup>3</sup>): 0.59  
 Power: 2.8Kw/220V  
 Remarks: 5x1/2x65 pan



**6x1/2 Pan Hot Food Display**

**DM65-6**

Dimensions (LxWxH mm): 1690x480x700  
 Packing Size (mm): 1750x530x760  
 NW/GW (kgs): 57/73  
 Cube (M<sup>3</sup>): 0.7  
 Power: 2.95Kw/220V  
 Remarks: 6x1/2x65 pan

## Bain Marie



**3/4/5/6 Pan Hot Food Display Specifications**

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM66-3	1060x630x700	1100x690x400	35/51	0.3	2.6Kw/220V	1x1x100 pan
DM66-4	1400x630x700	1450x690x400	45/62	0.4	2.6Kw/220V	1x1x100 pan
DM66-5	1750x630x700	1800x690x400	55/72	0.5	2.6Kw/220V	1x1x100 pan
DM66-6	2100x630x700	2150x690x400	65/82	0.58	2.6Kw/220V	1x1x100 pan



**4/5/6 Pan Hot Food Display Specifications**

Model	Dimensions (LxWxH mm)	Packing Size (mm)	NW/GW (Kgs)	Cube (M <sup>3</sup> )	Power	Remarks
DM67-4	1120x430x700	1170x490x400	29/43	0.22	2.6Kw/220V	1x1x100 pan
DM67-5	1390x430x700	1440x490x400	36/52	0.28	2.6Kw/220V	1x1x100 pan
DM67-6	1650x430x700	1700x490x400	43/61	0.33	2.6Kw/220V	1x1x100 pan



**Single Pan Bench Top Bain Marie**

**DM68-1**

Dimensions (LxWxH mm): 380x310x280  
 Packing Size (mm): 400x330x300  
 NW/GW (kgs): 7/8  
 Cube (M<sup>3</sup>): 0.04  
 Power: 750W/220V  
 Remarks: 1/2 pan



**2 Pan Bench Top Bain Marie**

**DM68-2**

Dimensions (LxWxH mm): 580x380x280  
 Packing Size (mm): 600x400x280  
 NW/GW (kgs): 10/11  
 Cube (M<sup>3</sup>): 0.07  
 Power: 750W/220V  
 Remarks: 1/2 pan



**4 Pan Bench Top Bain Marie**

**DM68-4**

Dimensions (LxWxH mm): 700x580x280  
 Packing Size (mm): 720x600x300  
 NW/GW (kgs): 17/18  
 Cube (M<sup>3</sup>): 0.13  
 Power: 1.5Kw/220V  
 Remarks: 1/2 pan

## Warming Showcase



### Curved Glass Warming Showcase

#### R60-1

Dimension(LxWxH): 900×480×590 mm  
 Power: 1.84 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 50 Kgs

#### R60-2

Dimension(LxWxH): 660×437×635 mm  
 Power: 1.84 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 37 Kgs

#### R60-3

Dimension(LxWxH): 1200×480×810 mm  
 Power: 2.2 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 72 Kgs

Constant temperature, moisture preservation, attractive outline design with glass surrounded.



### Curved Glass Warming Showcase

#### DH-2P

Dimension(LxWxH): 660×500×620 mm  
 Power: 1.3 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 27 Kgs  
 Even temperature and humidity



### Food Warming Showcase

#### DH-1P

Dimension(LxWxH): 350×425×500 mm  
 Power: 0.85 Kw, 220-240 V  
 N/W: 16 Kgs  
 Even temperature and humidity



### Display Warming Showcase

#### DH-580

Dimension(LxWxH): 640×360×530 mm  
 Power: 1 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 21 Kgs

#### DH-805

Dimension(LxWxH): 865×360×620 mm  
 Power: 1.5 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 35 Kgs

Even temperature and humidity, two sides equipped with heat resistance glass. The progress is clear at a glance.



### Pizza Showcase

#### DH-13

Dimension(LxWxH): 500×450×770 mm  
 Power: 0.9 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 27 Kgs  
 Even temperature and humidity



### Shelves Warming Showcase

#### DH-14

Dimension(LxWxH): 550×450×770 mm  
 Power: 0.88 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 27 Kgs  
 Even temperature and humidity.



### Hot Drawer Counter

#### WL-02

Dimension(LxWxH): 740×590×620 mm  
 Power: 1.0 Kw, 120 V

#### WL-03

Dimension(LxWxH): 740×590×885 mm  
 Power: 1.5 Kw, 240 V

## Warming Showcase



### Center Island WS-02

Dimension(LxWxH): 1500×760×800 mm  
 N/W: 69 Kgs  
 Stainless steel body with auto-distributing cup device and ice barrel.



### Hot Display Showcase

#### DH-6P-L

Dimension(LxWxH): 1550×810×885 mm  
 Power: 2.9 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 112 Kgs

#### DH-6P-B-L

Dimension(LxWxH): 1250×810×885 mm  
 Power: 2.2 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 94 Kgs  
 With humidity convection system.

#### DH-8P

Dimension(LxWxH): 1500×750×840 mm  
 Power: 2 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 92 Kgs



### Hot Display Showcase (2 Layers)

#### SCP-1100

Dimension(LxWxH): 1075×775×773 mm  
 Power: 3 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 61 Kgs

Upper and lower layers can be equipped with orbit-rack or food-tray. Special design for display hamburgers and fried chickens.



### Hot Display Showcase

#### MTWT-2×2

Dimension(LxWxH): 700×640×730 mm  
 Power: 0.7 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 33 Kgs

#### MTWT-2×3

Dimension(LxWxH): 1100×640×730 mm  
 Power: 1.6 Kw, 220-240 V  
 Temperature Range: 30-85 °C  
 N/W: 45 Kgs



### Counter Top Chips Worker

#### VF-8

Dimension(LxWxH): 800×710×650 mm  
 Power: 0.72 Kw, 220-240 V  
 N/W: 30 Kgs



### Chips Worker

#### VF-60

Dimension(LxWxH): 600×700×1560 mm  
 Power: 0.75 Kw, 220-240 V  
 N/W: 55 Kgs

#### VF-80

Dimension(LxWxH): 800×700×1560 mm  
 Power: 1 Kw, 220-240 V  
 N/W: 65 Kgs



### Chips Worker

#### VF-10

Dimension(LxWxH): 1000×770×1570 mm  
 Power: 1 Kw, 220-240 V  
 N/W: 85 Kgs

## Food Warmer Cart & Plate Warmer Cart



**Food Warmer Cart (1 Door)**  
**DH-11-15F**

**Dimension(LxWxH):** 790×975×1350 mm  
**Capacity:** 5 Layers  
**Bore Dimension:** 540×940×680 mm  
**Height (per tray):** 160 mm  
**Power:** 2.62 Kw, 220-240 V  
**N/W:** 136 Kgs

1. All stainless steel, good looking and easy cleaning.
2. Convection heating mode with even temperature



**Food Warmer Cart (1 Door)**  
**DH-11-21**

**Dimension(LxWxH):** 796×975×1795 mm  
**Capacity:** 11 Layers  
**Bore Dimension:** 540×1380×680 mm  
**Height (per tray):** 115 mm  
**Power:** 2.62 Kw, 220-240 V  
**N/W:** 182 Kgs

3. Keep humidity function and adjustable temperature control
4. Large capacity, low energy consumption



**Food Warmer Cart (2 Doors)**  
**DH-22-21**

**Dimension(LxWxH):** 1540×940×1795 mm  
**Capacity:** 22 Layers  
**Bore Dimension:** 1350×1380×680 mm  
**Height (per tray):** 115 mm  
**Power:** 2.62 Kw, 220-240 V  
**N/W:** 320 Kgs



**Electric Plate Warmer Cart (1 Holders)**  
**DR-1**

**Dimension(LxWxH):** 450×485×770 mm  
**Power:** 0.4 Kw, 220-240 V  
**N/W:** 31 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



**Electric Plate Warmer Cart (2 Holders)**  
**DR-2**

**Dimension(LxWxH):** 450×910×770 mm  
**Power:** 0.8 Kw, 220-240 V  
**N/W:** 48 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



**Electric Plate Warmer Cart (1 Holders)**  
**DR-3**

**Dimension(LxWxH):** Φ405×725 mm  
**Power:** 0.4 Kw, 220-240 V  
**N/W:** 19 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



**Electric Plate Warmer Cart (1 Holders)**  
**DRN-1**

**Dimension(LxWxH):** 420×460×930 mm  
**Power:** 1 Kw, 220-240 V  
**N/W:** 30 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



**Electric Plate Warmer Cart (2 Holders)**  
**DRN-2**

**Dimension(LxWxH):** 420×800×930 mm  
**Power:** 2 Kw, 220-240 V  
**N/W:** 43 Kgs

1. Capacity of each holder is about 78 plates
2. Suitable for 8-12 inch diameters plates



**Cup Warmer**  
**2009/E-D**

**Dimension(LxWxH):** 320×320×545 mm  
**Power:** 0.14 Kw, 220-240 V  
**Temperature Range:** 30-110 °C  
**N/W:** 13.5 Kgs



**Heavy Duty Food Display Steamer**  
**MME-500H**

**Dimension(LxWxH):** 380×400×745 mm  
**Power:** 0.9 Kw, 220-240 V  
**Temperature Range:** 30-85 °C  
**N/W:** 27 Kgs

Full visual glass, stainless steel body, equipped with special device to prevent heating elements work without water. Reliable performance, fast heating, good warm-keeping effect.



**Heavy Duty Food Display Steamer**  
**MME-500H**

**Dimension(LxWxH):** 457×518×825 mm  
**Power:** 1.2 Kw, 220-240 V  
**Temperature Range:** 30-85 °C  
**N/W:** 39 Kgs

## Food Warmer Cart, Warming Lamp & Towel Warmer



1. Option food tray with lid
2. Glass size: 530×325 mm

**Electric Warming Tray**  
**TC-1**

**Dimension(LxWxH):** 540×380×85 mm  
**Power:** 0.26 Kw, 220-240 V  
**Temperature Range:** 30-85 °C  
**N/W:** 5 Kgs



**Electric Warming Tray**  
**TC-2F**

**Dimension(LxWxH):** 730×580×550 mm  
**Power:** 0.8 Kw, 220-240 V  
**Temperature Range:** 30-85 °C  
**N/W:** 14 Kgs



**Hot Showcase**  
**DH-310**

**Dimension(LxWxH):** 330×560×500 mm  
**Power:** 1 Kw, 220-240 V  
**Temperature Range:** 30-85 °C  
**N/W:** 7 Kgs



**Heating Lamp**  
**HL-2A**

**Dimension(LxWxH):** 425×357×750 mm  
**Power:** 0.5 Kw, 220-240 V  
**Temperature Range:** 30-85 °C  
**N/W:** 2 Kgs  
1. Can be used with standard trays.  
2. Exposure height adjustable.



**Double Lamp Warming Station**  
**DM69-2**

**Dimensions (LxWxH mm):** 380×480×560  
**Packing Size (mm):** 400×500×250  
**NW/GW (kgs):** 2.8/3.5  
**Cube (M<sup>3</sup>):** 0.05  
**Power:** 500W/220V



**Double Lamp Warming Station**  
**DM70-2**

**Dimensions (LxWxH mm):** 730×500×700  
**Packing Size (mm):** 750×520×420  
**NW/GW (kgs):** 12/14  
**Cube (M<sup>3</sup>):** 0.16  
**Power:** 2Kw+500W/220V



**3 Lamp Warming Station**  
**DM70-3**

**Dimensions (LxWxH mm):** 1070×500×700  
**Packing Size (mm):** 1100×520×420  
**NW/GW (kgs):** 16/19  
**Cube (M<sup>3</sup>):** 0.24  
**Power:** 2Kw+750W/220V



**4 Lamp Warming Station**  
**DM70-4**

**Dimensions (LxWxH mm):** 1370×500×700  
**Packing Size (mm):** 1400×520×420  
**NW/GW (kgs):** 21/24  
**Cube (M<sup>3</sup>):** 0.3  
**Power:** 2Kw+1Kw/220V



**Towel Warmer**  
**RTD-16A**

**Dimension(LxWxH):** 450×390×300mm  
**Voltage:** 220v/50Hz  
**Power:** 0.2Kw  
**Volume:** 16L  
**Temperature:** 70±10 °C  
**Loading capacity:** 30-40 pces



**Towel Warmer**  
**RTD-32A**

**Dimension(LxWxH):** 450×390×520mm  
**Voltage:** 220v/50Hz  
**Power:** 0.4kw  
**Volume:** 32L  
**Temperature:** 70±10 °C  
**Loading capacity:** 70-80pces



**Towel Warmer**  
**RTD-48A**

**Dimension(LxWxH):** 450×390×750mm  
**Voltage:** 220v/50Hz  
**Power:** 0.6kw  
**Volume:** 48L  
**Temperature:** 70±10 °C  
**Loading capacity:** 110-120pces