

# Dishwasher & Accessory

Under Counter Dishwasher  
Hood Dishwasher  
Conveyor Dishwasher  
Dishwasher Accessory



## Dishwasher

### CONVEYOR DISHWASHER


- Transmission speed(washing speed) can be adjusted easily and conveniently.
- The transmission direction(in & out direction) can be adjusted freely and swiftly.
- The LCD screen shows the working condition directly, easy to operate.
- The outer shell is mounted through slotting and hanging craft, which is easy and fast to disassemble.



#### Electric Conveyor Dishwasher

##### XLC-RA

Dimensions: 1304×795×1637mm  
Voltage: 380V/50Hz  
Power: 37.7kw  
Water Consumption: 350L/h  
Washing Capacity: 120-240 baskets/h



## Under Counter Dishwasher & Hood Dishwasher

- Water pump and microcomputer control circuit are imported from famous international suppliers, with steady performance and reliable quality.
- The temperature of the boiler and the volume of water can be showed directly and digitally.
- The desired wash cycles can be selected from 60 seconds, 90 seconds to 120 seconds according to different customers' need.



### Exit Table JD-2AP-70

Dimensions(LxWxH):  
700×740×860mm  
NW: 17kgs

### Exit Table JD-2AP

Dimensions(LxWxH):  
1200×740×860mm  
NW: 20kgs

Notes:  
A 100mm high splashback is installed at the rearward.



### Pre-Cleaning Table WD-2AP

Dimensions(LxWxH):  
1200×740×860mm  
NW: 27kgs

### Under Counter Glasswasher XWJ-XD-42

Dimensions(LxWxH): 500×550×850mm  
Washing Capacity: 1200 glasses/h  
Washing Cycles: 1-2.5 minutes  
Pump Power: 0.28kw  
Water Tank Capacity: 12  
Water tank heating power: 0.25Kw/0.5Kw  
Washing temperature: 60-65  
Broiler capacity: 8L  
Broiler heating power: 2.4Kw/6Kw (380V)  
Rinsing temperature: 82  
Working Voltage: 240V/380V/50Hz  
Water supply pressure: 200kPa-400kPa  
NW/GW: 45Kgs/58Kgs



### Hood Dishwasher XWJ-2A

Dimensions(LxWxH): 705×830×1500mm  
Washing Capacity: 900 plates(12")/h  
Washing Cycles: 60, 90, 120 seconds  
Pump Power: 0.735kw  
Water Tank Capacity: 33L  
Water tank heating power: 3.0kw  
Washing temperature: 60  
Broiler capacity: 9L  
Broiler heating power: 12kw  
Rinsing temperature: 85  
Working Voltage: 3N-380V/50Hz  
Water supply pressure: 200kPa-500kPa  
NW/GW: 119Kgs/144Kgs



### Under Counter Dishwasher XWJ-XD-25

Dimensions(LxWxH): 580×600×860mm  
Washing Capacity: 500 plates(12")/h  
Washing Cycles: 1-2.5 minutes  
Pump Power: 220L/m, 0.37kw  
Water Tank Capacity: 20  
Water tank heating power: 0.5Kw/1Kw  
Washing temperature: 60-65  
Broiler capacity: 8L  
Broiler heating power: 2.4Kw/6Kw (380V)  
Rinsing temperature: 82  
Working Voltage: 240V/380V/50Hz  
Water supply pressure: 200kPa-400kPa  
NW/GW: 59Kgs/71Kgs



### Hood Dishwasher HIGHT-C88

Dimensions(LxWxH): 740×870×1430 mm  
Productivity: 60 baskets/h, 1000 plates/h  
High-temperature tank capacity: 7L  
Rinse tank capacity: 30L  
High-temperature tank power: 9Kw  
Rinse tank power: 3Kw  
Total power: 13Kw  
Voltage: 380~400ACV/50Hz/5N  
Entrance table: 650×700×860mm  
Exit table: 1000×700×860mm  
Trays: 500×500×100mm

Optional spare parts:  
Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)



### Hood Dishwasher HIGHT-YT88

Dimensions(LxWxH): 640×700×1430 mm  
Productivity: 60 baskets/h, 1000 plates/h  
High-temperature tank capacity: 7L  
Rinse tank capacity: 30L  
High-temperature tank power: 9Kw  
Rinse tank power: 3Kw  
Total power: 13Kw  
Voltage: 380~400ACV/50Hz/5N

Entrance table: 650×700×860mm  
Exit table: 1000×700×860mm  
Trays: 500×500×100mm

Optional spare parts:  
Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)



## Hood Dishwasher & Conveyor Dishwasher



### Hood Dishwasher HIGHT-YT120

Dimensions(LxWxH): 1360×870×1500 mm  
Productivity: 120 baskets/h, 2000 plates/h  
High-temperature tank capacity: 12L  
Rinse tank capacity: 50L  
High-temperature tank power: 15Kw  
Rinse tank power: 3Kw  
Total power: 22Kwh  
Voltage: 380~400ACV/50Hz/5N  
Entrance table: 650×700×860mm  
Exit table: 1000×700×860mm  
Trays: 500×500×100mm

Optional spare parts: Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)

### Conveyor Dishwasher HIGHT-C100

Dimensions(LxWxH): 1100×810×1630 mm  
Productivity: 130-180 baskets/h, 2600 plates/h  
High-temperature tank capacity: 30L  
Rinse tank capacity: 98L  
High-temperature tank power: 27Kw  
Rinse tank power: 9Kw  
Total power: 36Kw  
Voltage: 380~400ACV/50Hz/5N

Entrance table: 1100×760×860+100mm  
Exit table: 1100×760×860+100mm  
Trays: 500×500×100mm



Optional spare parts: Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)

### Conveyor Dishwasher HIGHT-C180

Dimensions(LxWxH): 1500×810×1630 mm  
Productivity: 153-185 baskets/h, 3700 plates/h  
High-temperature tank capacity: 30L  
Rinse tank capacity: 98L  
High-temperature tank power: 27Kw  
Rinse tank power: 9Kw  
Total power: 37.5Kw  
Voltage: 380~400ACV/50Hz/5N

Entrance table: 1100×760×860+100mm  
Exit table: 1100×760×860+100mm  
Trays: 500×500×100mm



Optional spare parts: Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)

## Conveyor Dishwasher



Optional spare parts: Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)

### HIGHT-C250

**Dimensions(LxWxH):** 2200×810×1630 mm  
**Productivity:** 185-250 baskets/h, 5000 plates/h  
**High-temperature tank capacity:** 30L  
**Rinse tank capacity:** 140L  
**High-temperature tank power:** 27Kw  
**Rinse tank power:** 15Kw  
**Total power:** 43Kw  
**Voltage:** 380~400ACV/50Hz/5N  
**Entrance table:** 1100×760×860+100mm  
**Exit table:** 1100×760×860+100mm  
**Trays:** 500×500×100mm



Optional spare parts: Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)

### HIGHT-C250

**H9(Drying machinery)**  
**Dimensions(LxWxH):** 3200×810×1800 mm  
**Productivity:** 185-250 baskets/h, 6000 plates/h  
**High-temperature tank capacity:** 30L  
**Rinse tank capacity:** 140L  
**High-temperature tank power:** 27Kw  
**Rinse tank power:** 15Kw  
**Dryer power:** 12Kw  
**Total power:** 54Kw  
**Voltage:** 380~400ACV/50Hz/5N  
**Dryer:** 1000×780×1700H mm  
**Entrance table:** 1100×760×860+100mm  
**Exit table:** 1100×760×860+100mm  
**Trays:** 500×500×100mm



### HIGHT-C250 H18(Drying Machine)

Optional spare parts: Entrance work table, Exit work table, Spray faucet, Dispenser, 3 trays(free)

**Dimensions(LxWxH):** 4000×810×1630 mm  
**Productivity:** 250-320 baskets/h, 6000 plates/h  
**High-temperature tank capacity:** 30L  
**Rinse tank capacity:** 140L  
**High-temperature tank power:** 27Kw  
**Rinse tank power:** 15Kw  
**Dryer power:** 23Kw

**Total power:** 65Kw  
**Voltage:** 380~400ACV/50Hz/5N  
**Dryer:** 1800×780×1630 mm  
**Entrance table:** 1100×760×860+100mm  
**Exit table:** 1100×760×860+100mm  
**Trays:** 500×500×100mm

## Dishwasher Accessory



### 4" Deck Mounted Faucet

#### JW-PS13

**Reference NO. :** B-0113  
**Material:** Brass  
**Pcs/Carton:** 1  
**Notes:** Spare parts available



### 8" Center Wall Mounted Faucet

#### JW-PS33

**Reference NO. :** B-0133  
**Material:** Brass  
**Pcs/Carton:** 1  
**Notes:** Spare parts available



### 4" Deck Mounted Faucet

#### JW-PS13

**Reference NO. :** B-2338  
**Material:** Brass  
**Pcs/Carton:** 1  
**Notes:** Spare parts available



### 8" Center Wall Faucet

#### B-0118

**Reference NO. :** B-0113  
**Material:** Brass  
**Pcs/Carton:** 1  
**Notes:** Spare parts available



### Pot and Kettle Filler

#### JW-PK10

**Reference NO. :** B-0610  
**Material:** Brass  
**Pcs/Carton:** 1  
**Notes:** Spare parts available



### Wall Mounted Retractable Hose Reel

#### JW-GS05


**Reference NO. :** B-7232-01  
**Material:** Brass  
**Pcs/Carton:** 1  
**Notes:** Spare parts available



JW-DC12B



JW-DC48



JW-DC48B



JW-DC80



JW-DC84

# Dishwasher Accessory



**9-Compartment Glass Rack**

**JW-9**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 152X 152X 45  
 Material: PP  
 Pcs/Carton: 6



**9-Compartment Standard Extender**

**JW-92**

Overall Size (mm): 500 X 500 X 46  
 Compartment Size (mm): 152X 152X 35  
 Material: PP  
 Pcs/Carton: 12



**16-Compartment Glass Rack**

**JW-16**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 115X 115X 45  
 Material: PP  
 Pcs/Carton: 6



**16-Compartment Standard Extender**

**JW-162**

Overall Size (LxWxH mm): 500 x 500 x 45  
 Compartment Size (mm): 115x115x 35  
 Material: PP  
 Pcs/Carton: 12



**20-Compartment Glass Rack**

**JW-20**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 115X 95X 80  
 Material: PP  
 Pcs/Carton: 6



**25-Compartment Glass Rack**

**JW-25**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 90X 90X 45  
 Material: PP  
 Pcs/Carton: 6



**25-Compartment Dropped Extender**

**JW-252**

Overall Size (mm): 500 X 500 X 65  
 Compartment Size (mm): 90X 90X 63  
 Material: PP  
 Pcs/Carton: 9



**25-Compartment Standard Extender**

**JW-253**

Overall Size (mm): 500 X 500 X 45  
 Compartment Size (mm): 90X 90X 35  
 Material: PP  
 Pcs/Carton: 12



**36-Compartment Glass Rack**

**JW-36**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 75X 75X 45  
 Material: PP  
 Pcs/Carton: 6



**49-Compartment Standard Extender**

**JW-492**

Overall Size (mm): 500 X 500 X 65  
 Compartment Size (mm): 65X 65X 65  
 Material: PP  
 Pcs/Carton: 12



**25-Compartment Plate & Tray Rack**

**JW-25B**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 68X 68X 65  
 Material: PP  
 Pcs/Carton: 6



**25-Compartment Open Plate & Tray Rack**

**JW-25P**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 68X 68X 65  
 Material: PP  
 Pcs/Carton: 6

# Dishwasher Accessory



**36-Compartment Dropped Extender**

**JW-362**

Overall Size (mm): 500 X 500 X 65  
 Compartment Size (mm): 75X 75X 63  
 Material: PP  
 Pcs/Carton: 9



**36-Compartment Standard Extender**

**JW-363**

Overall Size (mm): 500 X 500 X 45  
 Compartment Size (mm): 75X 75X 35  
 Material: PP  
 Pcs/Carton: 12



**49-Compartment Glass Rack**

**JW-49**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 65X 65X 80  
 Material: PP  
 Pcs/Carton: 6



**64-Compartment Plate & Tray Rack**

**JW-64B**


Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 45X 45X 72  
 Material: PP  
 Pcs/Carton: 6



**64-Compartment Open Plate & Tray Rack**

**JW-64P**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 45X 45X 72  
 Material: PP  
 Pcs/Carton: 6



**64-Compartment Inner Rack**

**JW-64I**

Overall Size (mm): 495X 495 X 100  
 Compartment Size (mm): 58X 58X 75  
 Material: PP  
 Pcs/Carton: 6



**Open Rack**

**JW-S**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 37 X 37  
 Material: PP  
 Pcs/Carton: 6



**Cutlery Rack**

**JW-C**

Overall Size (mm): 500 X 500 X 100  
 Compartment Size (mm): 11 X 11  
 Material: PP  
 Pcs/Carton: 6



**Open Extender**

**JW-P**

Overall Size (mm): 500 X 500 X 45  
 Material: PP  
 Pcs/Carton: 16

## Dishwasher Accessory



### 4-Compartment Cutlery Box

**JW-4C**

Overall Size (mm): 500 X 290 X 100  
 Compartment Size (mm): 11 X 11  
 Material: PP  
 Pcs/Carton: 12



### Rack Dolly without Handle

**JW-RT**

Overall Size (mm): 540 X 540 X 180  
 Capacity: 150Kgs  
 Material: PP  
 Pcs/Carton: 1



### Rack Dolly with Handle

**JW-ST**

Overall Size (mm): 540 X 540 X 180  
 Capacity: 150Kgs  
 Material: PP  
 Pcs/Carton: 1

**JW-STH**

Capacity: 150Kgs  
 Material: SS  
 Pcs/Carton: 6



### 8-Compartment Cutlery Basket with Handle

**JW-8B**

Overall Size (mm): 427 X 208 X 150  
 Material: PP  
 Pcs/Carton: 12

**JW-8H**

Overall Size (mm): 427 X 208 X 150  
 Material: PP  
 Pcs/Carton: 12



### JW-DC240

DC240 can hold 4.5" to 13" plates, trays, dishes, maximum 8 stacks, total 400 pieces, 6 dividers.  
 Material: PE  
 Color: Brown  
 Oversize: 930\*720\*800mm



### JW-DC160

DC160 can hold 4.5" to 13" plates, trays, dishes, maximum 4 stacks, total 160-200 pieces, 4 dividers.  
 Material: PE  
 Color: Brown  
 Oversize: 900\*725\*800mm



### JW-DC320

DC320 can hold 4.5" to 13" plates, trays, dishes, maximum 8 stacks, total 400 pieces, 6 dividers.  
 Material: PE  
 Color: Brown  
 Oversize: 1090\*720\*800mm

## Ice Cream Machine

### Control Panel:

- Indicator shows the refrigerating temperature/ Adjust the temperature between +1 to 10 degree
- Counter indicator/ Lack material alarm
- Indicator shows the percentage of the produce process/ shows the motor current
- Produce switch
- Wash switch
- Overload rest switch/ ice cream hardness adjustment
- Keep fresh/pre-cooling switch, ice cream hardness adjustment

### Double air pumps:

- Full automatic double air pumps are designed to let more air in.
- Feed system control by electric valve.
- High over-run rate ups to 80%~100%.
- The refrigerating speed is quicker than common machine by 40%. It can save 40%-50% material.

### Counter indicator:

- Calculate how many cups ice cream have sold.
- The number of discharged ice cream shows on the counter indicator.
- Good for management with the certain key to rest the indicator back "000".



### Soft Ice Cream Machine IN221

Dimension(LxWxH): 540×770×1480mm  
 Hopper Capacity: 2×7L  
 Voltage: 220V/50Hz  
 Power: 1.7Kw  
 Refrigerant: R404a  
 Output: 11-16kg/h 18-25L/h  
 N.W/G.W: 145/195kg  
 Packing size: 900×700×1640mm



### Soft Ice Cream Machine IN222

Dimension(LxWxH): 540×770×1480mm  
 Hopper Capacity: 2×7L  
 Voltage: 220V/50Hz  
 Power: 1.7Kw  
 Refrigerant: R404a  
 Output: 11-16kg/h 18-25L/h  
 N.W/G.W: 145/195kg  
 Packing size: 900×700×1640mm



### Soft Ice Cream Machine IN838

Dimension(LxWxH): 518×740×1280mm  
 Hopper Capacity: 2×7L  
 Voltage: 220V/50Hz  
 Power: 1.7Kw  
 Refrigerant: R404a  
 Output: 11-16kg/h 18-25L/h  
 N.W/G.W: 135/178kg  
 Packing size: 700×900×1430mm

### IN331

Dimension(LxWxH): 540×770×1480mm  
 Hopper Capacity: 2×7L  
 Voltage: 220V/50Hz  
 Power: 2.4Kw  
 Refrigerant: R404a  
 Output: 22-28kg/h 28-38L/h  
 N.W/G.W: 160/210kg  
 Packing size: 900×700×1640mm

### IN332

Dimension(LxWxH): 540×770×1480mm  
 Hopper Capacity: 2×7L  
 Voltage: 220V/50Hz  
 Power: 2.4Kw  
 Refrigerant: R404a  
 Output: 22-28kg/h 28-38L/h  
 N.W/G.W: 160/210kg  
 Packing size: 900×700×1640mm

